



LED filament opal sphere E14

OPAL SPHERE FILAMENT LED BULB E14
4,3W 2700K 230V

Cod: **5456008**



E14
Lamp holder: E14



IP20
Protected from solid bodies larger
than 12 mm



F
Energy efficiency class F



CRI >80
Colour rendering index >80



ReeR warranty
ReeR guarantees the product for a
time duration of 3 years



Technical description

Product code: 5456008 | Category: LED lamps | Model: LED filament opal sphere E14 | Product description: OPAL SPHERE FILAMENT LED BULB E14 4,3W 2700K 230V | Source type: LED | Type of filament: Parallel LED | Warm-up time: < 1 | Ignition time: 0,5 | Color temperature (CCT): 2700K | Color render index (CRI): > 80 | MacAdam (SDCM): < 6 | Lumen output (lm): 470 | Beam angle: 320° | LED Lifetime: 15.000 h | Maintenance factor: 70% | Number of switching cycles: > 7.500 | Energy efficiency class: F | Diameter (mm): 45 | Height (mm): 78 | Lamp holder: E14 | IP rating: IP 20 | Finishing colour: Opal | Diffuser material: Glass | Nominal power (W): 4,3 | Power factor: 0,5 | Power supply: 230V 50/60Hz | Dimmable: No | Quantity per package: 10 |

Lighting data

| | | | |
|--------------------------|--------------|----------------------------|----------|
| Source type | LED | Beam angle | 320° |
| Type of filament | Parallel LED | LED Lifetime | 15.000 h |
| MacAdam (SDCM) | < 1 | Maintenance factor | 70% |
| Ignition time | 0,5 | Number of switching cycles | > 7.500 |
| Color temperature (CCT) | 2700K | Energy efficiency class | F |
| Color render index (CRI) | > 80 | | |
| MacAdam (SDCM) | < 6 | | |
| Lumen output (lm) | 470 | | |

Mechanical data

| | | | |
|---------------|-----|-------------------|-------|
| Diameter (mm) | 45 | IP rating | IP 20 |
| Height (mm) | 78 | Finishing colour | Opal |
| Lamp holder | E14 | Diffuser material | Glass |

Electrical data

| | | | |
|-------------------|--------------|----------------------|----|
| Nominal power (W) | 4,3 | Quantity per package | 10 |
| Power factor | 0,5 | | |
| Power supply | 230V 50/60Hz | | |
| Dimmable | No | | |