



# Specchio 900mm

SPECCHIO 20W 230V IP44 4000K  
900mm silver

Cod: **6360983**



IP44

Protected against solid objects larger than 1 mm and splashes



II

Protection class II



CRI >80

Colour rendering index >80



ReeR warranty

ReeR guarantees the product for a time duration of 3 years



## Technical description

Product code: 6360983 | Category: Indoor luminaires | Model: Specchio 900mm | Product description: SPECCHIO 20W 230V IP44 4000K 900mm silver | Source type: SMD | Number of LEDs: 42 | Color temperature (CCT): 4000K | Color render index (CRI): > 80 | MacAdam (SDCM): < 6 | Lumen output (lm): 1600 | Beam angle: 133° | Photobiological risk: RG0 (exempt) | LED Lifetime: 30.000 h | Energy efficiency class: This contains a light source of energy efficiency class (EU2019/2015): F | Width (mm): 53 | Length (mm): 900 | Height (mm): 65 | Weight (g): 850 | IP rating: IP 44 | Finishing colour: Silver | Type of finishing: Polyester powder coated | Body material: Aluminum | Diffuser material: PC (polycarbonate) | Maximal working temperature: -20° C | Minimal working temperature: +45° C | Nominal power (W): 20 | Power factor: > 0,5 | Power supply: 230V 50/60Hz | Ballast: Integrated | Insulation class: II | Dimmable: No |

## Lighting data

Source type	SMD	Beam angle	133°
Number of LEDs	42	Photobiological risk	RG0 (exempt)
Color temperature (CCT)	4000K	LED Lifetime	30.000 h
Color render index (CRI)	> 80	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): F
MacAdam (SDCM)	< 6		
Lumen output (lm)	1600		


## Mechanical data

Width (mm)	53	Finishing colour	Silver
Length (mm)	900	Type of finishing	Polyester powder coated
Height (mm)	65	Body material	Aluminum
Weight (g)	850	Diffuser material	PC (polycarbonate)
IP rating	IP 44		

## Electrical data

Nominal power (W)	20	Insulation class	II
Power factor	0,5	Dimmable	No
Power supply	230V 50/60Hz		
Ballast	Integrated		

## Photometry



## Technical drawing

