



Accentto 26W

ACCENTO 26W 3000K 48° IP65
220-240V

Cod: **MES0237**



IP65

Dustproof and protected against water jets



I

Protection class I



CRI >80

Colour rendering index >80



ReeR warranty

ReeR guarantees the product for a time duration of 3 years



Technical description

Product code: MES0237 | Category: Outdoor luminaires | Model: Accentto 26W | Product description: ACCENTO 26W 3000K 48° IP65 220-240V | Color temperature (CCT): 3000K | Color render index (CRI): > 80 | MacAdam (SDCM): < 4 | Lumen output (lm): 3077 | Beam angle: 48° | Photobiological risk: RG1 (low risk) | LED Lifetime: 25.000 h | Diameter (mm): 105 | Height (mm): 168 | Weight (g): 2100 | IP rating: IP 65 | Finishing colour: Black RAL9005 | Type of finishing: Polyester powder coated | Body material: Aluminum | Diffuser material: Glass | Maximal working temperature: -25° C | Minimal working temperature: +35° C | Nominal power (W): 26 | Power factor: > 0,8 | Power supply: 220/240V 50/60Hz | Ballast: Integrated | Insulation class: I | Dimmable: No | Power cable length: 1,5 |

Lighting data

Color temperature (CCT)	3000K
Color render index (CRI)	> 80
MacAdam (SDCM)	< 4
Lumen output (lm)	3077
Beam angle	48°

Photobiological risk	RG1 (low risk)
LED Lifetime	25.000 h

Mechanical data

Diameter (mm)	105
Height (mm)	168
Weight (g)	2100
IP rating	IP 65


Finishing colour	Black RAL9005
Type of finishing	Polyester powder coated
Body material	Aluminum
Diffuser material	Glass

Electrical data


Nominal power (W)	2,6
Power factor	> 0,8
Power supply	220/240V 50/60Hz
Ballast	Integrated
Insulation class	I

Dimmable	No
Power cable length	1.5

Photometry



Technical drawing



Accessories



Accento pickets

STAKE for ACCENTO 14W 26W

Cod: MES0238



Accento anchor bolts

ANCHOR BOLTS FOR ACCENTO

Cod: MES0240



Accento straps

ACCENTO barrel strap

Cod: MES0241