

Chef 172mm

CHEF 24W 4000K IP54 White

Cod: MIC0023



IP20 / IP54

Protected against dust and splashes (only in the lower part of the product)



II

Protection class II



CRI >80

Colour rendering index >80



ReeR warranty

ReeR guarantees the product for a time duration of 3 years



Technical description

Product code: MIC0023 | Category: Indoor luminaires | Model: Chef 172mm | Product description: CHEF 24W 4000K IP54 White | Color temperature (CCT): 4000K | Color render index (CRI): > 80 | MacAdam (SDCM): < 3 | Lumen output (lm): 2600 | Beam angle: 100° | Photobiological risk: RG0 (exempt) | LED Lifetime: 50.000 h | Diameter (mm): 172 | Height (mm): 38 | Recess hole (mm): Ø 150 | Weight (g): 450 | IP rating: IP 20 / IP 54 (front) | Finishing colour: White | Body material: Die-cast aluminum | Diffuser material: PC (polycarbonate) | Maximal working temperature: -20° C | Minimal working temperature: +40° C | Nominal power (W): 24 | Power factor: > 0,9 | Power supply: 220/240V 50/60Hz | Ballast: Included | Insulation class: II | Dimmable: No |

Lighting data

| | |
|--------------------------|-------|
| Color temperature (CCT) | 4000K |
| Color render index (CRI) | > 80 |
| MacAdam (SDCM) | < 3 |
| Lumen output (lm) | 2600 |
| Beam angle | 100° |

| | |
|----------------------|--------------|
| Photobiological risk | RG0 (exempt) |
| LED Lifetime | 50.000 h |

Mechanical data

| | |
|------------------|-------|
| Diameter (mm) | 172 |
| Height (mm) | 38 |
| Recess hole (mm) | Ø 150 |
| Weight (g) | 450 |


| | |
|-------------------|-----------------------|
| IP rating | IP 20 / IP 54 (front) |
| Finishing colour | White |
| Body material | Die-cast aluminum |
| Diffuser material | PC (polycarbonate) |

Electrical data

| | |
|-------------------|------------------|
| Nominal power (W) | 2,4 |
| Power factor | 0,9 |
| Power supply | 220/240V 50/60Hz |
| Ballast | Included |

| | |
|------------------|----|
| Insulation class | II |
| Dimmable | No |

Photometry



Technical drawing

