

Fascinum 8W

FASCINUM 8W 3000K 8 White

Cod: **MIC0034**



IP20
Protected from solid bodies larger than 12 mm



III
Protection class III



CRI >90
Colour rendering index >90



ReeR warranty
ReeR guarantees the product for a time duration of 3 years



Technical description

Product code: MIC0034 | Category: Indoor luminaires | Model: Fascinum 8W | Product description: FASCINUM 8W 3000K 8 White | Color temperature (CCT): 3000K | Color render index (CRI): > 90 | MacAdam (SDCM): < 3 | Lumen output (lm): 663 | Beam angle: 8° | Photobiological risk: RG1 (low risk) | LED Lifetime: 25.000 h | Diameter (mm): 90 | Height (mm): 126 | Recess hole (mm): Ø 82 | Weight (g): 450 | IP rating: IP 20 | Finishing colour: White RAL9003 | Type of finishing: Polyester powder coated | Body material: Aluminum | Diffuser material: PMMA (polymethyl methacrylate) | Maximal working temperature: -25° C | Minimal working temperature: +35° C | Nominal power (W): 8 | Power supply: 12V 700 mA | Ballast: Not included | Insulation class: III |

Lighting data

Color temperature (CCT)	3000K	Photobiological risk	RG1 (low risk)
Color render index (CRI)	> 90	LED Lifetime	25.000 h
MacAdam (SDCM)	< 3		
Lumen output (lm)	663		
Beam angle	8°		


Mechanical data

Diameter (mm)	90	Finishing colour	White RAL9003
Height (mm)	126	Type of finishing	Polyester powder coated
Recess hole (mm)	Ø 82	Body material	Aluminum
Weight (g)	450	Diffuser material	PMMA (polymethyl methacrylate)
IP rating	IP 20		


Electrical data

Nominal power (W)	8	Insulation class	III
Power supply	12V 700 mA		
Ballast	Not included		

Photometry



Technical drawing



Accessories



Fascinum power supply

LED POWER SUPPLY 12W 700MA
CONSTANT CURRENT 2-16V
Cod: MID0015