




# Focus 20W

## FOCUS 20W 4000K 36° White Ø60m

Cod: MTK0118



#### Technical description

Product code: MTK0118 | Category: Indoor luminaires | Model: Focus 20W | Product description: FOCUS 20W 4000K 36° White Ø60m | Source type: COB | Color temperature (CCT): 4000K | Color render index (CRI): > 90 | MacAdam (SDCM): < 4 | Lumen output (Im): 1800 | Beam angle: 36° | Photobiological risk: RG1 (low risk) | LED Lifetime: 30.000 h | Diameter (mm): 60 | Height (mm): 228 | Weight (g): 400 | IP rating: IP 20 | Finishing colour: White RAL9003 | Type of finishing: Polyester powder coated | Body material: Die-cast aluminum | Diffuser material: PMMA (polymethyl methacrylate) | Maximal working temperature: -25° C | Minimal working temperature: +55° C | Nominal power (W): 20 | Power factor: > 0.9 | Power supply: 220/240V 50/60Hz | Ballast: Integrated | Insulation class: II | Dimmable: No |

🖮 💥 💿 🥔 🌽



#### Lighting data

Source type	СОВ	Beam angle	36°
Color temperature (CCT)	4000K	Photobiological risk	RG1 (low risk)
Color render index (CRI)	> 90	LED Lifetime	30.000 h
MacAdam (SDCM)	< 4		
Lumen output (lm)	1800		

#### Mechanical data

Diameter (mm)	60	Finishing colour	White RAL9003
Height (mm)	228	Type of finishing	Polyester powder coated
Weight (g)	400	Body material	Die-cast aluminum
IP rating	IP 20	Diffuser material	PMMA (polymethyl
			methacrylate)

Electrical data	_		
Nominal power (W)	20	Insulation class	П
Power factor	> 0.9	Dimmable	No
Power supply	220/240V 50/60Hz		
Ballast	Integrated		






#### Photometry

#### 105<sup>-</sup> 00<sup>-</sup> 00<sup>-</sup> 00<sup>-</sup> 00<sup>-</sup> 100<sup>-</sup> 1


### Technical drawing



#### Accessories




Focus 20W accessories HONEYCOMB FOCUS 20W Ø60mm white Cod: MTK0129



Focus 20W accessories FOCUS JOINT 20W Ø60mm white

Cod: MTK0131



Focus 20W accessories HONEYCOMB JOINT FOCUS 20W Ø60mm white Cod: MTK0133



Focus 20W accessories OVAL JOINT FOCUS 20W Ø60mm white

Cod: MTK0135