





# Focus 30W

FOCUS 30W 4000K 36° Black Ø80mm

Cod: MTK0128



Protected from solid bodies larger





date: 23/11/2024













## Technical description

Product code: MTK0128 | Category: Indoor luminaires | Model: Focus 30W | Product description: FOCUS 30W 4000K 36° Black Ø80mm | Source type: COB | Color temperature (CCT): 4000K | Color render index (CRI): > 90 | MacAdam (SDCM): < 4 | Lumen output (Im): 3000 | Beam angle: 36° | Photobiological risk: RG1 (low risk) | LED Lifetime: 30.000 h | Diameter (mm): 80 | Height (mm): 268 | Weight (g): 670 | IP rating: IP 20 | Finishing colour: Black RAL9017 | Type of finishing: Polyester powder coated | Body material: Die-cast aluminum | Diffuser material: PMMA (polymethyl methacrylate) | Maximal working temperature: -25° C | Minimal working temperature: +55° C | Nominal power (W): 30 | Power factor: > 0.9 | Power supply: 220/240V 50/60Hz | Ballast: Integrated | Insulation class: II | Dimmable: No |





date: 23/11/2024

### Lighting data

Source type	COB
Color temperature (CCT)	4000K
Color render index (CRI)	> 90
MacAdam (SDCM)	< 4
Lumen output (lm)	3000

Beam angle	36°
Photobiological risk	RG1 (low risk)
LED Lifetime	30.000 h

#### Mechanical data

Diameter (mm)	80	
Height (mm)	268	
Weight (g)	670	
IP rating	IP 20	

Finishing colour	Black RAL9017
Type of finishing	Polyester powder coated
Body material	Die-cast aluminum
Diffuser material	PMMA (polymethyl
	methacrylate)

### Electrical data


Nominal power (W)	30
Power factor	> 0.9
Power supply	220/240V 50/60Hz
Ballast	Integrated

Insulation class	II
Dimmable	No




date: 23/11/2024

#### Photometry



## Technical drawing




#### Accessories



Focus 30W accessories


HONEYCOMB FOCUS 30W Ø80mm black Cod: MTK0138



Focus 30W accessories

FOCUS 30W Ø80mm black JOINT

Cod: MTK0140



Focus 30W accessories

HONEYCOMB JOINT FOCUS 30W Ø80mm black Cod: MTK0142



Focus 30W accessories

OVAL JOINT FOCUS 30W Ø80mm black

Cod: MTK0144